

Remarks

Claims 15, 17, 18 and 20-25 were pending in the subject application. By this amendment, claims 15 and 17 have been amended, claims 22-25 have been cancelled and new claims 33-38 have been added. The applicants have also cancelled claims 26-32 as being directed to non-elected subject matter. Support for the amendments and new claims can be found throughout the application including at, for example, page 1, first paragraph; page 2, first paragraph; page 4, first full paragraph, third full paragraph, and fourth full paragraph; and page 9, second full paragraph. No new matter has been added by these amendments. Accordingly, claims 15, 17, 18, 20, 21 and 33-38 are currently before the Examiner for consideration. Favorable consideration is respectfully requested.

The amendments presented herein have been made to lend greater clarity to the claimed subject matter and to expedite prosecution of the subject application to completion. These amendments should not be construed as an indication of the applicants' agreement with, or acquiescence to, the rejections of record. Favorable consideration of the claims now presented, in view of the remarks and amendments set forth herein, is earnestly solicited.

Claims 15, 17, 18 and 20-25 have been rejected under 35 U.S.C. §103(a) as being unpatentable over Fong (*The Journal of Infectious Diseases*, 2000, Vol. 181, Suppl. 3, pp. S514-S518) in view of Vlasselaer *et al.* (US 2001/0043906). The applicants respectfully traverse this ground for rejection because the cited references, taken either alone or in combination, do not disclose or suggest the use of an anti-infective agent to reduce lethality and morbidity in patients who have just had a stroke.

The method of the present invention involves the administration of an anti-infective therapy to a patient shortly after that patient has suffered an acute stroke. The therapy is applied soon after the occurrence of the stroke and is applied, contrary to the teachings of prior art, even in the absence of an established infection. Surprisingly and advantageously the method of the subject invention reduces lethality and morbidity in stroke patients.

The Fong reference pertains to the use of moxifloxacin for the prevention of atherosclerotic lesions of the aorta following an infection (see page S516, left column, first full paragraph). The teachings of Fong may be relevant for efforts to develop treatments against atherosclerosis for patients suffering from chronic bacterial infections but they are not relevant to patients who have just

suffered a stroke. Specifically, Fong does not disclose or suggest a method of treatment following an acute stroke in a patient not having a pre-existing chronic infection.

Fong refers to the effects of antibiotics in a rabbit model of Chlamydia pneumoniae-induced atherosclerosis (see, for example, the title). The idea underlying the study performed by Fong is that “chronic bacterial infections may be strongly associated with the development of CHD (coronary heart disease) or stroke.” (parenthesis added, see page S514, left column, first paragraph of Fong). The above-cited text, together with the first sentence of the abstract, are the only references in the entire article referring to stroke. Otherwise, the article focuses on effects achieved by administering antibiotics to rabbits suffering from atherosclerosis due to an infection with Chlamydia pneumoniae.

It is well established in the patent law that the mere fact that the purported prior art could have been modified or applied in some manner to yield an applicant’s invention does not make the modification or application obvious unless “there was an apparent reason to combine the known elements in the fashion claimed” by the applicant. *KSR International Co. v. Teleflex Inc.*, 550 U.S. ____ (2007). In this case, the applicants respectfully submit that there is no reason to modify the cited references to arrive at the current invention and, thus, there is no *prima facie* case of obviousness.

Since Fong does not make reference to stroke except as indicated above, a person of skill in the art would have had no motivation to link the teachings of Fong with a method for anti-infective therapy after acute stroke. Also, unlike the teachings of Fong, the present invention is not related to chronic infections that are present before a stroke occurs.

Vlasselaer *et al.* teach administration of gamma-interferon in liquid-droplet aerosol form. Again, the treatment described by Vlasselaer *et al.* is predicated on the pre-existence of a condition or infection. Vlasselaer *et al.* do not disclose or suggest a method of treatment following an acute stroke in a patient not having a pre-existing chronic infection.

Further, it is incorrect to state that Fong, teaching the use of antibiotics, and Vlasselaer *et al.*, teaching the use of interferon-gamma would in combination produce the present invention. The teachings of both of these references are restricted to treatment of a condition after specific symptoms have arisen. In contrast, according to the present invention, the anti-infective agent is administered before the onset of symptoms for an infective disease and without a chronic disease being already present in the patient.

In order to underscore that the results of the present invention are surprising, please consider the attached excerpt from “ScienceDaily” dated October 5, 2007, which reports that patients being treated with an antibiotic shortly after suffering a stroke had significantly fewer disabilities. Please note that this treatment was considered both newsworthy and “new” (see the title), thus providing objective evidence of the surprising nature of the current invention.

Thus, in the current case, the cited references, either taken alone or in combination, do not disclose or suggest the applicants’ advantageous method of treating stroke wherein lethality and morbidity are reduced by administering an anti-infective agent shortly after a stroke occurs. Therefore, the applicants respectfully request reconsideration and withdrawal of the obviousness rejection under 35 U.S.C. §103 based on Fong in view of Vlasselaer *et al.*

In view of the foregoing remarks, the applicants believe that the currently pending claims are in condition for allowance, and such action is respectfully requested.

The Commissioner is hereby authorized to charge any fees under 37 CFR §§1.16 or 1.17 as required by this paper to Deposit Account No. 19-0065.

The applicants also invite the Examiner to call the undersigned if clarification is needed on any of this response, or if the Examiner believes a telephonic interview would expedite the prosecution of the subject application to completion.

Respectfully submitted,



David R. Saliwanchik
Patent Attorney
Registration No. 31,794
Phone No.: 352-375-8100
Fax No.: 352-372-5800
Address: P.O. Box 142950
Gainesville, FL 32614-2950

DRS/jil-la

Attachments: 1) Copy of ScienceDaily, October 5, 2007, "New Treatment For Stroke Works Up To A Day After Symptoms Start"
2) Request for Continued Examination (RCE)



Home | Archives | Authors | Images | Stocks | Health & Medicine | Mind & Brain | Plants & Animals | Earth & Climate | Space & Time | Matter & Energy | Computers & Math | Fossils & Ruins

Science News

Share | Blog | Cite

Print | Email | Bookmark

New Treatment For Stroke Works Up To A Day After Symptoms Start

ScienceDaily (Oct. 5, 2007) — People treated with the drug minocycline within six to 24 hours after a stroke had significantly fewer disabilities, according to a study published in the October 2, 2007, issue of *Neurology*, the medical journal of the American Academy of Neurology.

See also:

Health & Medicine

- Elder Care
- Stroke Prevention
- Diseases and Conditions

Mind & Brain

- Caringiving
- Stroke
- Brain Injury

Reference

- Multi-infarct dementia
- Brain damage
- COX-2 inhibitor
- Hormone replacement therapy

Researchers say minocycline may be an alternative treatment for stroke because current treatments only work during the first few hours after the onset of symptoms, and many people don't get to the hospital in time to be treated.

For the study, 152 men and women received either an oral dose of minocycline or placebo for five days following stroke. People who received minocycline were treated an average of 13 hours after stroke compared to 12 hours for the placebo group. Researchers followed both groups for three months.

The study found people treated with

outcomes than those treated with placebo. After three months, the minocycline group performed four times better than the placebo group on the National Institutes of Health Stroke Scale, which measures vision, face, arm, leg, movement, and speaking ability. The minocycline group received a score of 1.5, which indicates little or no disability, compared to a score of 6.5 for the placebo group, which indicates a high end of mild disability.

"The improvement was already apparent within a week of the stroke," said study author Yair Lampi, MD, with Edith Wolfson Medical Center and Tel Aviv University in Israel. "This is exciting because many people who have had stroke cannot be treated if they don't get to the hospital within three hours after symptoms start, which is the time frame for current available treatments."

"While these are promising results, a much larger, closed-label, study is needed to confirm our findings," said Lampi. "Further research is also needed to look at whether the dosage of the drug taken in this study is optimal and whether giving the drug through an IV would be more effective."

Lampi says the improvement shown by patients taking minocycline is not due to the drug's basic antibiotic effect, but rather its anti-inflammatory effect and ability to protect brain cells from destruction. Minocycline has already been shown in other studies to have a neuroprotective effect in animal models of multiple sclerosis, Parkinson's disease, Huntington's disease, and Lou Gehrig's disease, or ALS.

Lampi says none of the participants experienced any serious side effects from the drug.

Adapted from materials provided by American Academy of Neurology.

Need to cite this story in your essay, paper, or report? Use one of the following formats:

APA American Academy of Neurology (2007, October 5). New Treatment For Stroke Works Up To A Day After Symptoms Start. ScienceDaily Retrieved January 30, 2008.

Ads by Google

Advertiser here

The Simple Golf Swing
Learn the correct golf stroke to help you shave 7-12 strokes
www.golfswingguru.com

Min Invasive Heart Valves
Act rapidly, real-time hemodynamic monitoring (CO, CI, SV, SVI, & more)
www.Edwards.com

Hydrogen Release Compound
EHOD for in situ treatment of Groundwater and Soils
www.AdventusGroup.com

Treatment Of Headaches
Signs, Symptoms & Treatments. Get Free Health Information Online.
Healthline.com

Treatment of sinusitis?
3 Easy To Find Ingredients Are The Key To Curing Sinusitis - No Risk!
MiracleSinusitisCure.com

Related Stories

Good News For Rural Stroke Patients,
Telephone Treatment Works (Apr. 25, 2007) — Stroke patients in rural hospitals can get safe, effective treatment with the use of a clot-busting drug when a doctor from a larger hospital is on the telephone guiding the treatment. These new ...
> read more

Brain Protein Improves Stroke Symptoms In Rats, Even When Injected After 3 Days (Oct 21, 2006) — A protein naturally occurring in the brain improves recovery from stroke when injected up to three days after the onset of the stroke, and could be used as an effective stroke drug. A study in rats ...
> read more

Testing Drug's Ability To Reverse Stroke After Standard Three-hour Window Has Closed (Apr. 21, 2004) — Ischemic stroke patients who arrive at the hospital too late to receive currently available treatment options might someday have a new treatment ...
> read more

Men More Likely To Benefit From Clot-busting Stroke Treatment (Mar. 13, 2007) — Men are more likely than women to benefit from the use of a clot-busting drug after stroke, according to a study published in the March 13, 2007, issue of *Neurology*, the scientific journal of the ...
> read more

Cell Transplants Look Promising For Stroke Recovery (Sep. 2, 2002) — Using transplants of bone marrow cells improved the recovery from stroke in rat experiments, according to a study published in the August 27 issue of *Neurology*, the scientific journal of the American ...
> read more

Just In:
New Method Exploits Ancient Mechanism To ...

Science Video News



Inside the Brain
Children who have speech-impaired strokes often learn to talk again, while adult stroke victims can lose their verbal abilities for good. By giving ...
> full story

Cardiologists Employ Biomedical Engineering to Safeguard Heart Patients

Interventional Neuroangiologists Treat Brain Strokes with New Kind of Stent

Doctors and Engineers Develop Virtual-Reality Recovery for Stroke Victims

more science videos

Ads by Google

Hot Stock Alert - GFET

Cellulose Ethanol, Biofuels, Energy Growth Stock Investment.

www.GulfEthanolCorp.com

Breaking News

... from NewsDaily.com

Scientists to study mess of black holes
"Coon strategy" prevents whooping cough

Ads by Google

Burden of diabetic seniors increasing
Experts warn not to mix sleep medications

Stroke Info.
Everything you need to know about Stroke and more!
yourbrainhealth.hilltop.com

Carbon monoxide can affect heart muscle

Pediatric Stroke
Diagnosis, treatment and support at Children's Hospital of Philadelphia
www.chop.edu/stroke

more science news

In Other News ...

Clinton touts Obama pushes Fla. results

Couple allegedly had 99 fake licenses

Body parts found on 2 Pa. interstates

Teens charged with leaving bomb in mailbox

Woman, 88, terrorized by home invader

Ferry sinks in

Stroke Rehabilitation
Latest Advances in Stroke Recovery. Trustworthy, Current Report.
www.stroke-rehabilitation-info.com

Stroke
Find Help and Support Within the Diabloom Community
www.Diabloom.com

.../releases/2007/10/071001172858.htm

Search ScienceDaily

Number of stories in archives: 44,032

Find with keyword(s):

Search

Enter a keyword or phrase to search ScienceDaily's archives for related news topics, the latest news stories, reference articles, science videos, images, and books.

Ads by Google

Advertise here

Water: Fuel
Discover Technology That Uses
Water To Run A Car.
www.Fuel-Rebel.com

SciNopsis medical writing
Professional, friendly service: CSRs,
CTDs, protocols, manuscripts
www.scinopsis.com

Hemiplegia Help Hospital
Chinese medicine experts offer
service for stroke from China.
www.TcmTreatment.com

Congo, 100 feared
lost
WW2 bomb ignites
at Fla. school
Dad charged after
children found in
shark
more world news

Stroke Treatment
Tropical fruit used in
traditional medicine to
treat strokes.
stroke.MoreHealth.net

Free Subscriptions

... from ScienceDaily

Get the latest science news with our free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

Email Newsletters
RSS Newsfeeds

Feedback

... we want to hear from you!

Tell us what you think of the new ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

Your Name:

Your Email:

Comments:

Click button to submit feedback:

Send It

About This Site | Editorial Staff | Awards & Reviews | Contribute News | Advertise With Us | Privacy Policy |

Terms of Use

Copyright © 1995-2007 ScienceDaily LLC — All rights reserved — Contact: editor@sciencedaily.com